



Making Superior Vegetables a Reality™



PINTO BEAN

TRIAL DATA*

PT WINCHESTER

Approx. Maturity	93-97 days
Plant Type	2B
Approx. Seed Count	1,244 seeds/lb.
Disease Resistance	HR: CI (Race 17 "Alpha") IR: BCMV ("I" gene); Ua

*See reverse side for disease resistance abbreviation chart

PT Winchester


Performance and Adaptability

PROFILE:

Winchester is an upright pinto bean variety adapted to most dry bean production areas. It has mid-season maturity and begins to set pods early, giving it yield stability. Winchester also has good dry down and consistent pod setting. Winchester provides consistent quality and yield for producers.

ECONOMIC PROFILE:

Winchester has a maturity advantage of approximately 4 days earlier than Maverick; coupled with a 55 lbs./AC yield advantage. This makes Winchester an excellent candidate for replants or in a year when late plantings are necessary.



*Data from the MIN-DAK region

For more information, please contact your ROGERS® dry bean dealer or visit www.rogersadvantage.com

Note: All variety information presented herein is based on field and laboratory observation. Actual crop yield and quality are dependent upon many factors beyond our control and NO WARRANTY is made for crop yield and quality. Since environmental conditions and local practices may affect variety characteristics and performance, we disclaim any legal responsibility for these. Read all tags and labels. They contain important conditions of sale, including limitations of warranties and remedies. ROGERS® is a registered trademark of a Syngenta Group Company. Syngenta Seeds, Inc., P.O. Box 4188, Boise, ID 83711-4188, U.S.A. www.rogersadvantage.com



Published 01-2006



Making Superior Vegetables a Reality™

KEY TO RESISTANCE ABBREVIATIONS FOR BEAN

Plant Type 1A	Bush determinate erect stem
Plant Type 2A	Erect growth indeterminate short runners
Plant Type 2B	Erect growth indeterminate with medium to long runners
Plant Type 3B	Prostrate vine indeterminate growth with long runners
BCMV	Bean common mosaic caused by the specified strains of <i>Bean common mosaic virus</i>
BCTV	Curly top caused by <i>Beet curly top virus</i>
BGYMV	Bean golden yellow mosaic caused by <i>Bean golden yellow mosaic virus</i>
CI	Anthraco nose caused by <i>Colletotrichum lindemuthianum</i>
Psp	Halo blight caused by <i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i>
Pss	Bacterial brown spot caused <i>Pseudomonas syringae</i> pv. <i>syringae</i>
Ua	Rust caused by the specified races of <i>Uromyces appendiculatus</i>
HR	High Resistance: describes plant varieties that highly restrict the growth and development of the specified pest or pathogen under normal pest or pathogen pressure when compared to susceptible varieties. Highly resistant varieties may, however, exhibit some symptoms or damage under heavy pest or pathogen pressure.
IR	Intermediate Resistance: describes plant varieties that restrict the growth and development of the specified pest or pathogen, but may exhibit a greater range of symptoms or damage compared to highly resistant varieties. Intermediately resistant varieties will still show less severe symptoms or damage than susceptible plant varieties when grown under similar environmental conditions and/or pest or pathogen pressure.

In cases where specific races or strains are not noted the variety is resistant to some, but not necessarily all known races or strains of the pathogen.

For more information, please contact your ROGERS® dry bean dealer or visit www.rogersadvantage.com

Note: All variety information presented herein is based on field and laboratory observation. Actual crop yield and quality are dependent upon many factors beyond our control and NO WARRANTY is made for crop yield and quality. Since environmental conditions and local practices may affect variety characteristics and performance, we disclaim any legal responsibility for these. Read all tags and labels. They contain important conditions of sale, including limitations of warranties and remedies. ROGERS® is a registered trademark of a Syngenta Group Company. Syngenta Seeds, Inc., P.O. Box 4188, Boise, ID 83711-4188, U.S.A. www.rogersadvantage.com

